

Vembu BDR Suite

Free vs Paid Edition

VEMBU TECHNOLOGIES
www.vembu.com



Free vs Paid Edition

The Free Edition of Vembu BDR suite products comprises of mandate features which ensure data protection for both the physical and virtual data center environments. The new version of Vembu BDR Suite is now available with enhanced features which work efficiently also in its free edition. If your organization does not require business continuity and data management features of backup policy like, near continuous data protection with CBT (changed block tracking) incremental backup, VM replication with Failover and Failback process, Quick VM Recovery and Offsite DR, then they can opt for the free edition of Vembu BDR Suite.

Vembu BDR Suite comes with 30 days of full feature trial during the evaluation period. Once the trial expires, the user can either opt for free or paid edition of Vembu BDR Suite based on their business requirements.

How it works?

The download and installation of Vembu BDR Suite are same for both free and paid edition, but the functionality depends on the license being applied.

The free edition does not require any license post trial, as the trial package of Vembu BDR Suite gets converted into Free edition automatically. The free edition comes with two options. The user can choose between unlimited features - limited VMs (upto 3 VMs) or limited features - unlimited VMs

The paid edition requires the license to be applied from the Vembu Portal and it is limited to the number of sockets or VMs and servers which have been purchased from portal.

The user can easily upgrade from free to paid version by applying for the license from Vembu portal at any time.

VMware Backup & Replication


Features	Free Edition	Paid Edition	Notes
Backup			
Agentless VMware Backup	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	The VMs running on the ESXi or vCenter server can be protected without using any separate agent
vCenter level backup	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Virtual machine managed in vCenter environments can be backed up
Backup Multiple VMs	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Any number of VMs can be backed up in a single job
Full VM Backup	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	During full Backup, Entire VM will be Backed up including operating system, applications and data
VM/Disk Exclusion	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Exclude particular VM or Disk from backup configuration







Features	Free Edition	Paid Edition	Notes
LAN free data transfer using SAN and Hot-Add modes			Vembu VM backup support Direct SAN, Hot-Add and network transport mode to backup the VM data
Application Aware Backup Processing			Create application consistent image-level backups with advanced Application-Aware processing (including transaction log truncation).
Near CDP (Continuous Data Protection)	 upto 3 VMs		Incremental backup can be scheduled every 15 mins to ensure the RPO < than 15 mins
Changed Block Tracking (CBT)	 upto 3 VMs		Only the blocks which are changed since the previous backup are been tracked and the changed blocks are alone backed up in the successive backup
Forever incremental	 upto 3 VMs		After the successful full backup, one can run the incremental backup Forever
Advanced Reverse Incremental	 upto 3 VMs		Vembu has its own file system VembuHIVE on storage targets, it creates bootable full virtual disks (VMDK, VHD and KVM) for all recovery points without using any additional resources.
Automatic Backup Scheduling			Backups can be automatically scheduled as per the user's flexibility
Retention Policies	 upto 3 VMs		User can retain any number of recovery points on choices of his own
Backup persistent data	 upto 3 VMs		Any changes made during the Quick boot session is also stored down as persistent data and it can be used during the permanent restore
Edit existing backup job configuration			Backup jobs can be Re-configured any number of times as per the user needs
Tape Backup Support			Store the backup data on Tape media's for long-term archival
VM Replication			
VM Replication	 upto 3 VMs		Replicate the VMs running on one ESXi host to another ESXi host to ensure the business continuity
Failover & Failback	 upto 3 VMs		The replicated VMs can be failover and failback to reduce the business downtime

Features	Free Edition	Paid Edition	Notes
Recovery			
Permanent VM Recovery to ESXi			Permanently restore the Backed up VM to an ESXi host as a VM
Instant file recovery			Instantly recover the individual files and folder from the backed up VMs without restoring the entire VM
Quick VM Recovery to ESXi	 upto 3 VMs		Instantly recover the backed up VM to ESXi
Quick VM Recovery to Hyper-V	 upto 3 VMs		Instantly recover the backed up VM to Hyper-V
Quick VM Recovery to KVM	 upto 3 VMs		Instantly recover the backed up VM to KVM
Disk level recovery	 upto 3 VMs		Attach the disk or partition of the backed up VM to another VMware VM
Disk Management Mount	 upto 3 VMs		Auto attaches the backed up image data (physical or virtual machine) on the disk management of local machine through the Vembu virtual drive
Instant Granular Recovery for Microsoft Exchange			Restore individual exchange mails or user mailboxes from the backed up VM using the Vembu Universal Explorer without restoring entire machine
Instant Granular Recovery for Microsoft SQL			Restore the individual databases or tables from the backed up VM using Vembu Universal Explorer without restoring entire machine
Instant Granular Recovery for Microsoft SharePoint			Restore the SharePoint sites and documents from the backed up VM using Vembu Universal Explorer without restoring entire SharePoint machine
Instant Granular Recovery for Microsoft Active Directory			Restore the user roles and other AD objects from the backed up VM using Vembu Universal Explorer without restoring entire AD machine
Cross Hypervisor Migration (V2V)			The VMs can be easily migrated from one hypervisor to another

Features	Free Edition	Paid Edition	Notes
Management			
Web based management console			The backups are configured and edited from a single web console
Reports and email notifications			Status report of all backup schedules will be available in a single page the same can be emailed to users
Multiple storage location			Storage devices such as Local, SAN, NAS and DAS can be used for storage purpose and Vembu supports all such filesystems for storage purpose
Scale out storage repository			Based on the storage Utilization the storage devices can be easily scaled out
In-built Compression and Deduplication			Backup files are stored on the backup server, after compression and deduplication to reduce the storage needs
End-to-end encryption			The backed up data is encrypted against the known threats using AES-256 bit encryption algorithm
Automated Backup Verification	 upto 3 VMs		Verify the recoverability of the backed up images and screenshot of the booted Image backup will be mailed
OffsiteDR Replication	 upto 3 VMs		The Backed up data will be replicated to an offsite location for Disaster recovery
CloudDR Replication	 upto 3 VMs		The Backed up data will be replicated to Vembu Cloud for Disaster recovery
WAN Acceleration	 upto 3 VMs		Only the compressed, encrypted and deduplicated blocks are sent offsite for replication, resulting a significant decrease in the amount of data transfer
Distributed Vembu VMBackup agents	 upto 3 VMs		The VM backup can also configured by using a dedicated VMbackup agent
Bandwidth Throttling	 upto 3 VMs		The bandwidth of the backup job can be throttled to reduce the network traffic during peak production hours
Vembu BDR360 for centralized backup server management	 upto 3 VMs		Manage all backups from different clients through a single console

Hyper-V Backup

Features	Free Edition	Paid Edition	Notes
Backup			
Agentless Hyper-V Backup	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	The VMs running on the Hyper-V servers can be protected without using any separate agent
Backup Multiple VMs	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Any number of VMs can be backed up in a single job
Full VM Backup	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	During full Backup, Entire VM will be Backed up including operating system, applications and data
Backup VM data in SMB Share	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Backup all the VMs stored on the SMB share without any agent
Backup VM data in Cluster Shared Volumes	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Backup all the VMs stored on cluster shared volume share without any agent
VM/Disk Exclusion	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Exclude particular VM or Disk from backup configuration
Changed Block Tracking (CBT)	 upto 3 VMs	<input checked="" type="checkbox"/>	Only the blocks which are changed after the previous backup are been tracked and the changed blocks are alone backed up in the successive backup
Application Aware Backup Processing	 upto 3 VMs	<input checked="" type="checkbox"/>	Create application consistent, image-level backups with advanced Application-Aware processing (including transaction log truncation).
Near CDP (Continuous Data Protection)	 upto 3 VMs	<input checked="" type="checkbox"/>	Incremental backup can be scheduled every 15 mins to ensure the RPO < than 15 mins
Forever incremental	 upto 3 VMs	<input checked="" type="checkbox"/>	After the successful full backup, one can run the incremental backup forever
Advanced Reverse Incremental	 upto 3 VMs	<input checked="" type="checkbox"/>	Vembu has its own file system VembuHIVE on storage targets, it creates bootable full virtual disks (VMDK, VHD and KVM) for all recovery points without using any additional resources.
Automatic Backup Scheduling	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Backups can be automatically scheduled as per the user's flexibility
Tape Backup Support		<input checked="" type="checkbox"/>	Store the backup data on Tape media's for long-term archival

Features	Free Edition	Paid Edition	Notes
Retention Policies	 upto 3 VMs	<input checked="" type="checkbox"/>	User can retain any number of recovery points on choices of his own
Backup persistent data	 upto 3 VMs	<input checked="" type="checkbox"/>	Any changes made during the Quick boot session is also stored down as persistent data and it can be used during the permanent restore
Edit existing backup job configuration	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Backup jobs can be Re-configured any number of times as per the user needs
Recovery			
Permanent VM Recovery to Hyper-V	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Permanently restore the Backed up VM to a Hyper-V host as a VM
Instant File Recovery	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Instantly recover the individual files and folder from the backed up VMs without restoring the entire VM
Quick VM Recovery to Hyper-V	 upto 3 VMs	<input checked="" type="checkbox"/>	Instantly recover the backed up VM to Hyper-V
Quick VM Recovery to VMware	 upto 3 VMs	<input checked="" type="checkbox"/>	Instantly recover the backed up VM to ESXi
Quick VM Recovery to KVM	 upto 3 VMs	<input checked="" type="checkbox"/>	Instantly recover the backed up VM to KVM
Disk Management Mount	 upto 3 VMs	<input checked="" type="checkbox"/>	Auto attaches the backed up image data (physical or virtual machine) on the disk management of local machine through the Vembu virtual drive
Instant Granular Recovery for Microsoft Exchange	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Restore individual exchange mails or user mailboxes from the backed up VM using the Vembu Universal Explorer without restoring entire machine
Instant Granular Recovery for Microsoft SQL	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Restore the individual databases or tables from the backed up VM using Vembu Universal Explorer without restoring entire machine
Instant Granular Recovery for Microsoft SharePoint	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Restore the SharePoint sites and documents from the backed up VM using Vembu Universal Explorer without restoring entire SharePoint machine
Instant Granular Recovery for Microsoft Active Directory	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Restore the user roles and other AD objects from the backed up VM using Vembu Universal Explorer without restoring entire AD machine
Cross Hypervisor Migration (V2V)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	The VMs can be easily migrated from one hypervisor to another

Features	Free Edition	Paid Edition	Notes
Management			
Web based management console			The backups are configured and edited from a single web console
Reports and email notifications			Status report of all backup schedules will be available in a single page the same can be emailed to users
Multiple storage location			Storage devices such as Local, SAN, NAS and DAS can be used for storage purpose and Vembu supports all such filesystems for storage purpose
Scale out storage repository			Based on the storage Utilization the storage devices can be easily scaled out
In-built Compression and Deduplication			Backup files are stored on the backup server, after compression and deduplication to reduce the storage needs
End-to-end encryption			The backed up data is encrypted against the known threats using AES-256 bit encryption algorithm
Automated Backup Verification	 upto 3 VMs		Verify the recoverability of the backed up images and screenshot of the booted Image backup will be mailed
OffsiteDR Replication	 upto 3 VMs		The Backed up data will be replicated to an offsite location for Disaster recovery
CloudDR Replication	 upto 3 VMs		The Backed up data will be replicated to Vembu Cloud for Disaster recovery
WAN Acceleration	 upto 3 VMs		Only the compressed, encrypted and deduplicated blocks are sent offsite for replication, resulting a significant decrease in the amount of data transfer
Bandwidth Throttling	 upto 3 VMs		The bandwidth of the backup job can be throttled to reduce the network traffic during peak production hours
Vembu BDR360 for centralized backup server management	 upto 3 VMs		Manage all backups from different clients through a single console

Physical Windows Server Image Backup

Features	Free Edition	Paid Edition	Notes
Backup			
Full Image backup	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Backup the entire machine including the operating system, applications and data
Backup selected disks and drives	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	The user can backup only the particular disk or drive of need
Backup MBR & GPT Partitions	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	GPT partitioned disks can also be backed up in a single pass
Backup disks more than 2 TB	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	The disks which are more than 2 TB can also be backed up using Vembu ImageBackup
Backup VMs with Pass-through disks	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Backup VMs with pass-through disks using Vembu ImageBackup
Backup VMs with Raw device mapping (RDM)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Backup VMs with Raw device mapping (RDM) disks using Vembu ImageBackup
Application Aware Backup Processing	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Create application consistent, image-level backups with advanced Application-Aware processing (including transaction log truncation).
Near CDP (Continuous Data Protection)		<input checked="" type="checkbox"/>	Incremental backup can be scheduled every 15 mins to ensure the RPO < 15 mins
Changed Block Tracking (CBT)		<input checked="" type="checkbox"/>	Only the blocks which have changed since the previous backup are tracked and the changed blocks are alone backed up in the successive backup
Forever incremental		<input checked="" type="checkbox"/>	After the successful full backup, one can run the incremental backup Forever
Advanced Reverse Incremental		<input checked="" type="checkbox"/>	Vembu has its own file system VembuHIVE on storage targets, it creates bootable full virtual disks (VMDK, VHD and KVM) for all recovery points without using any additional resources.
Automatic Backup Scheduling	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Backups can be automatically scheduled as per the user's flexibility
Retention Policies		<input checked="" type="checkbox"/>	User can retain any number of recovery points based on choices of his own
Tape Backup Support		<input checked="" type="checkbox"/>	Store the backup data on Tape media's for long-term archival

Features	Free Edition	Paid Edition	Notes
Backup persistent data		<input checked="" type="checkbox"/>	Any changes made during the Quick boot session is also stored down as persistent data and it can be used during the permanent restore
Edit existing backup job configuration	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Backup jobs can be Re-configured any number of times as per the user needs
Recovery			
Bare metal Recovery	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Recover the backed up image data to a new hard-drive using Vembu Recovery CD
Disk Level Recovery	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Recover the backed up image data to a new hardware directly from BDR server
File Level Recovery	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Individual files and folders can be easily recovered from the image backup instead of restoring the whole machine for the particular files or folder
Quick VM Recovery to VMware		<input checked="" type="checkbox"/>	The backed up image data will be instantly booted on ESXi
Quick VM Recovery to Hyper-V		<input checked="" type="checkbox"/>	The backed up image data will be instantly booted on Hyper-V
Quick VM Recovery to KVM		<input checked="" type="checkbox"/>	The backed up image data will be instantly booted on KVM host
Disk Management Mount		<input checked="" type="checkbox"/>	Auto attaches the backed up image data (physical or virtual machine) on the disk management of local machine through the Vembu virtual drive
Instant Granular Recovery for Microsoft Exchange	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Restore individual exchange mails or user mailboxes using the Vembu Universal Explorer without restoring entire machine
Instant Granular Recovery for Microsoft SQL	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Restore the individual databases or tables using Vembu Universal Explorer without restoring entire machine
Instant Granular Recovery for Microsoft SharePoint	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Restore the SharePoint sites and documents using Vembu Universal Explorer without restoring entire SharePoint machine
Instant Granular Recovery for Microsoft Active Directory	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Restore the user roles and other AD objects using Vembu Universal Explorer without restoring entire AD machine
Cross platform Migration (P2V)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	The backed up image data can be migrated to the hypervisors such as VMware ESXi or Microsoft Hyper-V

Features	Free Edition	Paid Edition	Notes
Management			
Web based management console	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	The backups are configured and edited from a single web console
Reports and email notifications	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Status report of all backup schedules will be available in a single page and the same can be emailed to users
Multiple storage location	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Storage devices such as Local, SAN, NAS and DAS can be used for storage purpose and Vembu supports all such filesystems for storage purpose
Scale out storage repository	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Based on the storage Utilization the storage devices can be easily scaled out
In-built Compression and Deduplication	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Backup files are stored on the backup server, after compression and deduplication to reduce the storage needs
End-to-end encryption	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	The backed up data is encrypted against the known threats using AES-256 bit encryption algorithm
Automated Backup Verification		<input checked="" type="checkbox"/>	Verify the recoverability of the backed up images and screenshot of the booted Image backup will be mailed to administrators
OffsiteDR Replication		<input checked="" type="checkbox"/>	The Backed up data will be replicated to an offsite location for Disaster recovery
CloudDR Replication		<input checked="" type="checkbox"/>	The Backed up data will be replicated to Vembu Cloud for Disaster recovery
WAN Acceleration		<input checked="" type="checkbox"/>	Only the compressed, encrypted and deduplicated blocks are sent offsite for replication, resulting in a significant decrease in the amount of data transfer
Bandwidth Throttling		<input checked="" type="checkbox"/>	The bandwidth of the backup job can be throttled to reduce the network traffic during peak production hours
Vembu BDR360 for centralized backup server management		<input checked="" type="checkbox"/>	Manage all backups from different clients through a single console

USA & CANADA

+1-512-256-8699

UNITED KINGDOM

+1-512-256-8699

Email

vembu-sales@vembu.com
vembu-support@vembu.com

www.vembu.com

Disclaimer

All rights reserved. No part of this publication may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the publisher.